


SPECIFICATION FOR CLEANROOM WHITE (PROTECTIVE) BOOTIES WITH LEGGING




***** DETAILS SPECIFICATION *****

**DESCRIPTION: CLEANROOM WHITE (PROTECTIVE) BOOTIES WITH LEGGING,
COMPOSITE TOECAP, KEVLAR MIDSOLE**

LEGGING FABRIC: 5MM GRID FABRIC



ACCESSORIES: ZIP, BUTTON & ELASTIC BAND



MEASUREMENT FOR ELASTIC POSITION OF THE LEGGING LENGTH

A: 180MM B: 90MM C: 50MM D: 40MM ** Total length = 360MM

LEGGING WIDTH:

Size 35 – 39 : 180MM

Size 40 – 41 : 190MM

Size 42 – 45 : 200MM

Size 46 – 48 : 210MM

LEGGING LENGTH:

MEASURE FROM OUTSOLE TILL TOP OF THE LEGGING

Size 35 – 48 : 320mm

OUTSOLE SIZE CHART:

Size	35	36	37	38	39	40	41	42	43	44	45	46	47	48
Length (mm)	225	230	235	240	245	250	255	260	265	270	275	280	285	290

OUTSOLE: PU (SHOCK ABSORBER / OIL RESISTANT)



SHOE MATERIAL:

TOE CAP: COMPOSITE TOE CAP

LINING: BK MESH

INSOLE: KEVLAR ANTI
PENETRATION PLATE

FEATURES:

ANTI HIT, ANTI PUNCTURE, ANTISTATIC FUNCTIONS, OUTSOLE WITH
OIL RESISTANT AND ENERGY ABSORPTION FUNCTIONS

STANDARD:

EUROPEAN SAFETY STANDARD EN ISO 20345

SHOE MANUFACTURER DATE

** The manufacturing date must be MINIMUM 2 MONTHS before the delivery date.

** The shoe shelf time is 12 months